

INFORMATION PROCESSING APPARATUS  
AND PROGRAM STORAGE MEDIUM

5 BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to an information processing apparatus having the function of displaying a character in an enlarged form, and a program storage medium for storing a program used for realizing it or, in particular, to an information processing apparatus capable of easily visualizing the display contents and a program storage medium for storing the program used for realizing it.

15 2. Description of the Related Art

In recent years, information processing apparatuses as personal computers and word processors have become widely used even by visually-handicapped persons and aged persons. These users often complain that the characters and pictures on the screen are so small that they cannot be easily seen. The demand for an increased size of characters and pictures on display is thus increasing.

With this situation as a background, software for displaying a normal screen in an enlarged form has been put into practice. The mere enlarged display on the screen, however, is accompanied by a difficulty in visualizing the overall layout due to the insufficient amount of data that is displayed. In view of this, in order to assure operating ease, a configuration is required whereby information on the normal screen can be easily visualized even in an enlarged display area on the screen.

In the case where a window is opened while the characters on the screen are being enlarged at a designated magnification rate in the conventional information processing apparatuses, the particular window

is enlarged and displayed at the same magnification rate as the screen.

When scrolling is requested of the window displayed in an enlarged form this way, the window is  
5 scrolled according to the same scrolling process as before enlargement.

After completion of a process to display the window in an enlarged form, a request for erasure, if any, is met by erasing the window on the screen as of the  
10 time of the request.

The above-mentioned conventional apparatuses pose the problem that the user cannot recognize the contents of the display easily. The problem will be specifically described below.

15 In an information processing apparatus, a window (dialog box) may be displayed in response to entry of a character in a normal form, that is in a not enlarged form, as shown in Figs. 13A, 13B.

In such a case, the conventional configuration shown in Fig. 14A for displaying a window at the same magnification rate as at the time of character entry sometimes undesirably causes only a portion of each character to be displayed within the window, as shown in Fig. 14B.  
20

When a character is entered, it is enough to recognize only the neighborhood of the character. In the case of displaying a window, on the other hand, it would be more convenient if the contents displayed in the window could be recognized. The problem of the prior  
25 art, however, is that what is displayed in the window cannot be easily recognized by the user.  
30

Also, an information processing apparatus may display a window having a character considerably smaller in size than the character entered for display without  
35 any enlargement.

The conventional configuration for displaying a window at the same magnification rate as a character

entered encounters the problem that each character in the window is still small and hard to view, even after the window is enlarged as shown in Fig. 15B, when the user is desirous of viewing the screen enlarged at the character magnification rate as shown in Fig. 15A.

Further, in the conventional configuration, which handles a request for scrolling a window displayed in an enlarged form by the same scrolling process as before enlargement as shown in Figs. 16A to 16E, the user may erroneously continue to scroll out of the window as shown in Fig. 16E. In such a case, the user is required to search for the window by manual operation. <sup>Because</sup> ~~in view~~ of ~~the fact that~~ the whole image of an enlarged display on a screen is difficult to visualize, ~~however,~~ <sup>becomes</sup> makes this manual operation <sup>very</sup> troublesome. Also, assume that a request for erasing a window is issued after the required process is complete on the window displayed in an enlarged form as shown in Figs. 17A to 17C. The configuration of erasing the window on the screen as of the time of the request poses no problem when the window is not enlarged, as the user can restore the original screen to coincide with the original working screen, as shown in Fig. 17C. In the case where the window is displayed in an enlarged form as shown in Figs. 18A to 18C, however, the user is unable to restore the original working screen as shown in Fig. 18C. The user is thus required to restore the original display condition by very troublesome manual work.

As described above, the conventional information processing apparatuses have the problem that the user cannot easily recognize the contents displayed in an enlarged form.

#### SUMMARY OF THE INVENTION

The present invention has been developed in view of this situation, and the object of the invention is to provide a novel information processing apparatus having the function of enlarging characters on a display and

which allows the user to easily recognize the display contents, and a novel storage medium for storing a program for realizing such an apparatus.

Fig. 1 is a diagram showing a basic configuration of the present invention.

In Fig. 1, reference numeral 1 designates an information processing apparatus comprising a computer as a main component for displaying a character at an intended point in a form enlarged according to a designated magnification rate on a display screen and, in response to the character at the intended point, opening an intended area (window) anew and displaying it in an enlarged form on the display screen, numeral 2 designates a display unit for the information processing apparatus 1, and numeral 3 an input unit for the information processing apparatus 1.

The information processing apparatus 1 according to this invention comprises input/output control means 10, management means 11, enlarged display means 12, detection means 13, specifying means 14, determining means 15, scroll means 16, second detection means 17, prohibition means 18, storage means 19 and restoration means 20.

The input/output control means 10 executes the process of an interface between the display unit 2 and the input unit 3. The management means 11 manages the data displayed on the display unit 2. The enlarged display means 12 displays the display data managed by the management means 11 in an enlarged form on the display unit 2 in accordance with a designated magnification rate.

The detection means 13 detects whether a request for opening an intended area is issued or not. The specifying means 14 specifies the size of the character or image in the intended area as displayed on a screen, or the size of the character at the intended point as displayed on the screen with the magnification rate of unity. The determining means 15 determines the

5

magnification rate applicable to the intended area by changing the magnification rate supplied to the enlarged display means 12.

5 The scroll means 16 scrolls the intended area displayed in an enlarged form after converting characters to be displayed from the normal size to the enlarged size by the enlarged display means 12, for example. The second detection means 17 is for detecting whether the intended area is converted to the enlarged size by the  
10 enlarged display means 12 and displayed as specified in accordance with the scrolling process by the scroll means 16. The prohibition means 18 prohibits the conversion by the enlarged display means 12 and the scrolling process by the scroll means 16.

15 The storage means 19 stores the coordinates of the character at the intended point which has been a trigger for opening the intended area. The restoration means 20 restores the display condition of the intended area immediately before opening thereof when erasing the  
20 intended area developed by the enlarged display means 12.

The functions of the information processing apparatus 1 according to the present invention are specifically realized by a program. This program is supplied from a medium, and loaded in a memory in the  
25 information processing apparatus 1. The functions of the invention thus are realized by executing the program stored in memory.

With the information processing apparatus 1 according to this invention configured as described  
30 above, upon detection by the detection means 13 that a request for opening an intended area is issued by the operation of the input unit 3 or the like, the specifying means 14 specifies the size of the intended area on the reference screen, and in response to this specification,  
35 the determining means 15 determines a magnification rate applicable to the intended area from the size of the specified intended area on the screen and the size of the

screen assigned to the intended area, for example, in such a manner that the intended area is filled up in the particular screen.

5       The enlarged display means 12 displays the intended area in an enlarged form on the display unit 2 while at the same time displaying the enlarged character in the intended area in accordance with the magnification rate determined by the determining means 15.

10       The above-mentioned process can obviate the problem points of the prior art described above with reference to Fig. 14B.

15       When the detection means 14 detects that a request has been issued for opening an intended area by the operation of the input unit 4 or the like, the specifying means 14 specifies the size of the character or image in the intended area as displayed on the screen and the size of the character at the intended point on the screen. In response to this specification, the determining means 15 determines a magnification rate applicable to the particular intended area from the magnification rate supplied to the enlarged display means 12 and the character size specified by the specifying means in such a manner that the character in the intended area, for example, has the same size as the character at the intended point displayed in an enlarged form.

20       The enlarged display means 12 displays the intended area on the display unit 2 in an enlarged form and displays the characters in the intended area in an enlarged form in accordance with the magnification rate determined by the determining means 15.

30       This process can obviate the problem points of the prior art described with reference to Fig. 15B.

35       In the case where the detection means 13 detects that a request has been issued for opening an intended area by the operation of the input unit 3, the specifying means 14 specifies the size of the character in the intended area as displayed on the screen, and in response

to this specification, the determining means 15 determines a magnification rate from a specified character size and the character size specified by the specifying means 14 in such a manner that the character in the particular intended area has the specified character size thereby to determine the magnification rate applicable to the particular intended area.

The enlarged display means 12 enlarges the intended area and displays it on the display unit 2 while at the same time displaying on the display unit 2 the character in the intended area in an enlarged form in accordance with the magnification rate determined by the determining means 15.

This process obviates the problem points of the prior art described with reference to Fig. 15B.

Assume that a request has been issued to scroll by the operation of the input unit 3 when the enlarged display means 12 displays the intended area in an enlarged form. In response to the scroll request, the scroll means 16 scrolls the intended area displayed in an enlarged form in a designated scroll direction. In the process, the second detection means 17 detects whether the trailing end of the intended area scrolled in the scroll direction has come to assume a state displayable on the display unit 2. Upon detection of this displayable state, the prohibition means 18 prohibits the scroll means 16 from scrolling any further in the scroll direction.

This process can solve the problem point of the prior art described above with reference to Fig. 16E.

In this configuration, the storage means 19 stores the coordinate point of the intended point providing a motive of opening the intended area. In response to this storage, the restoration means 20 operates in such a manner that as soon as a request is issued for erasing the intended area by the operation of the input unit 3 ~~and~~ the enlarged display means 12 erases the intended

area, <sup>and</sup> the coordinate stored in the storage means 19 <sup>are</sup> ~~is~~ set as an intended point to thereby restore the display state of the intended area immediately before the opening thereof.

5           This process can obviate the problem point of the prior art described with reference to Fig. 18C.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a diagram showing a basic configuration of the invention.

10           Fig. 2 is a diagram showing a program structure of an information processing apparatus according to this invention.

Fig. 3 shows a processing flow for executing an environment-setting program according to an embodiment.

15           Fig. 4 shows a processing flow for executing an enlarged display program according to a first embodiment.

Figs. 5A, 5B are diagrams showing a screen according to the first embodiment.

20           Fig. 6 shows a processing flow for executing an enlarged display program according to a second embodiment.

Figs. 7A, 7B are diagrams showing a screen according to the second embodiment.

25           Fig. 8 shows a processing flow for executing an enlarged display program according to a third embodiment.

Figs. 9A, 9B, 9C are diagrams showing a screen according to the third embodiment.

30           Fig. 10 shows a processing flow for executing an enlarged display program according to a fourth embodiment.

Figs. 11A, 11B, 11C are diagrams showing a screen according to the fourth embodiment.

35           Figs. 12A and 12B show a processing flow for executing an enlarged display program according to a fifth embodiment.

Figs. 13A, 13B to 18C are diagrams for explaining the image processing means according to the prior art.



# DESCRIPTION OF THE PREFERRED EMBODIMENTS

Embodiments of the invention will be described in detail with reference to the accompanying drawings. Fig. 2 shows a program structure included in the information processing apparatus 1 comprising a computer as a main component part thereof.

As shown in Fig. 2, the information processing apparatus 1 according to this invention comprises a display control program 30 responsible for processing the display control of data on the display unit 2, including an environment-setting program 31, an enlarged display program 32 and a memory 33 providing the working area of the enlarged display program 32.

The environment setting program 31 and the enlarged display program 32 are loaded in the memory (not shown), incorporated in the information processing apparatus 1, from a program storage medium.

Fig. 3 shows a processing flow for executing the environment-setting program 31 according to an embodiment, and Figs. 4, 6, 8, 10, 12 show the processing flows for executing the enlarged display program 32 according to each embodiment. Now, the present invention will be described in detail with reference to these processing flows.

The environment-setting program, as shown in the processing flow of Fig. 3, first judges in step 1 whether a condition setting request for an enlarged display has been issued from the user. If no condition setting request is issued, the process is terminated as it is. The condition setting is defined as the selection of a screen enlarge mode, described later, the selection as to whether the scrolling out of the window is to be prohibited, and the selection as to whether the enlarged area is restored to the state immediately before opening the window.

In the case where <sup>in</sup> step 1 ~~judges~~<sup>judged</sup> that the condition setting request for enlarged display is issued by the

user, the process proceeds to step 2 for <sup>a judgment as to</sup> ~~judging~~ whether it is the first condition setting. If the judgement is that the condition setting is not the first one, the process proceeds to step 11 for displaying the existing environment-setting data on the display unit 2. In step 5 12, the user is <sup>queried</sup> ~~enquired~~ whether the particular environment-setting data is sufficient, and if the judgement is that the environment-setting data is sufficient, the process is terminated as it is.

10 In the case where the judgement in step 2 is that the condition setting is the first one, on the other hand, the process proceeds to step 3 for selecting the screen enlarge mode interactively with the user. The screen enlarge mode includes a first mode for enlarging 15 the window to the full size of the screen, a second mode for enlarging the window to such an extent that each character in the window has the same size as the enlarged character outside the window, and a third mode for enlarging the window at the same magnification rate as 20 the enlarged character outside the window.

In the case where the first mode is selected in step 3 for enabling the user to enlarge the window to the full size of the screen, for example, the process proceeds to step 4 for setting the particular screen enlarge mode.

25 In the case where the user selects in step 3 the second mode in which the window is enlarged to such an extent that the size of the character in the window is the same as that of the enlarged character outside the window, the process proceeds to step 5 for setting the particular screen enlarge mode. In the case where the user selects 30 in step 3 the third mode in which the window is enlarged in accordance with the same magnification rate as the enlarged character outside the window, in contrast, the process proceeds to step 6 for setting the particular screen enlarge mode. 35

Then, <sup>in step 7 it is determined</sup> ~~step 7~~ determines interactively with the user, whether a fourth mode is to be selected for prohibiting

11

the scrolling out of the enlarged window. In the case where the user selects the fourth mode for prohibiting the scrolling outside the enlarged window, the process proceeds to step 8 for setting the same mode.

5 In the case where the enlarged window is erased by the interaction with the user in step 9, the user determines whether a fifth mode is selected for restoring the display state immediately before opening the window. Once the user selects the fifth mode for restoring the display state immediately before opening the window, the process proceeds to step 10 for setting the same mode.

10 <sup>In Step 11,</sup>  
~~Step 11~~ displays on the display unit 2 the environment-setting data, i.e., the selection of one of the first to fifth modes set in steps 3 to 10. Step 12 makes an <sup>query</sup>~~enquiry~~ of the user whether the particular environment-setting conditions are satisfactory. In the case where the judgement is that the environment-setting conditions are satisfactory, the process is terminated as it is. If the judgement is that the particular environment-setting conditions are not satisfactory, in contrast, the process returns to step 3.

15 As described above, the environment-setting program 31 sets an enlarged display mode as the window is opened. The environment-setting program 31 also sets the magnification rate of the portions other than the window.

20 Now, the process for executing the enlarged display program 32 will be explained.

25 In the enlarged display program 32, assume that the processing flow of Fig. 4 is executed. First, <sup>the enlarged display program 32</sup>~~step 1~~  
30 reads the environment-setting mode set by the environment-setting program 31. Then, upon receipt of an enlarge instruction by key operation or the like, the process proceeds to step 3 for displaying each character on the display unit 2 at the magnification rate  
35 designated by the environment-setting data. At the same time, the screen is determined in accordance with the designated magnification rate.

The processing flow shown in Fig. 4 presupposes the selection of the mode for enlarging the window to the full size of the screen. This fact can be recognized by the environment-setting data read in step 1.

5     ~~In step 4 it is monitored~~  
      ~~Step 4~~ monitors whether the key operation is performed after complete enlargement while enlarging the character displayed on the display unit 2. In the  
      ~~process of step 5, it is judged~~  
      ~~process, step 5~~ judges whether a new window is opened as shown in Fig. 13B by an application program. In the case  
10    where the judgement is that a new window has been opened, the process proceeds to step 6, in which a function command for acquiring the window coordinates (on the reference screen), i.e., the coordinates at points  $P_1$ ,  $P_2$  in Fig. 13B, is issued to the operating system thereby to  
15    acquire the size of the particular window from the operating system.

~~The process of~~ Step 7 enlarges the size of the window acquired in step 6 in accordance with the designated magnification rate, and compares the enlarged window with the screen  
20    thereby to judge whether the enlarged window can be displayed on the screen. In the case where step 8 judges whether the window is larger and cannot be displayed on the screen, the process proceeds to step 10 for reducing the designated magnification rate. In this way, the  
25    window is enlarged to a size sufficient to be contained in the screen, and is displayed <sup>there on</sup> ~~on it~~.

      In the case where <sup>the process of</sup> step 7 compares the enlarged window with the screen and <sup>the process of</sup> step 9 judges that the screen is larger, on the other hand, the process proceeds to  
30    step 11 thereby to increase the designated magnification rate. <sup>Thus the window</sup> ~~The window~~ thus is enlarged to fill up the screen and <sup>displayed there on</sup> ~~is displayed~~. Step 11 can be omitted.

      In the case where <sup>the process of</sup> step 7 compares the enlarged window with the screen, followed by the judgement in step  
35    12 that the both sizes are the same, on the other hand, the window enlarged at the designated magnification rate

is displayed as it is on the screen.

As described with reference to Figs. 14A, 14B, the conventional apparatus is so configured that the window is enlarged and displayed using the magnification rate as of the time of character entry. The probable result is an inconvenience such as that shown in Figs. 5A (the same as 14B), where only a portion of each character in the window is displayed. According to the present invention, in contrast, the window is enlarged and displayed within the size of the screen as shown in Fig. 5B according to the enlarged display program 32, in such a manner that the window coordinate <sup>points</sup> ~~point~~  $P_1$ ,  $P_2$  shown in Fig. 13B are ~~representative of~~ <sup>representative of</sup> the coordinate points  $P_1'$  and  $P_2'$  <sup>of</sup> in Fig. 5B, respectively. The above-mentioned inconvenience is thus obviated.

In the processing flow of Fig. 6, the enlarged display program 32 also reads in step 1 the environment-setting mode set by the environment-setting program 31. Then, upon receipt of an enlarge instruction by key operation or the like in step 2, the process proceeds to step 3 for acquiring the size of the system character as displayed on the reference screen, followed by step 4 for enlarging and displaying the character on the display unit 2, in accordance with the magnification rate designated by the environment-setting data.

The processing flow shown in Fig 6 presupposes that the mode is selected to enlarge the window in such a manner that each character within the window has the same size as the enlarged character outside the window. This fact is recognized through the environment-setting data read in step 1.

~~The process of step 5~~  
~~Step 5~~ monitors whether the key operation has been performed for completing the enlargement while at the same time enlarging the character displayed on the display unit 2. In the ~~process, step 6~~ <sup>process of step 6 it is judged</sup> judges whether a new window has been opened by an application program. In

the case where the judgement is that a new window has been opened, the process proceeds to step 7 for acquiring the size of the character in the window as displayed on the reference screen.

5           In step 8, the size of the system character acquired in step 3 is compared with the size of the character in the window acquired in step 7, followed by step 9. In the case where step 9 judges that the size of the character in the window is larger, the process proceeds to step 12 for changing the designated magnification rate downward in accordance with the ratio between the two character sizes. In this way, a magnification rate is determined at which the character in the window has the same in size as the enlarged character outside the window, so that the window is enlarged and displayed in accordance with the resulting magnification rate.

15           In the case where comparison between the size of the system character acquired in step 3 and the size of the character in the window acquired in step 7 leads to the judgement in step 10 that the size of the character outside the window is larger, in contrast, the process proceeds to step 13, where the designated magnification rate is changed upward in accordance with the ratio between the two character sizes. In this way, a magnification rate is determined at which the character in the window has the same size as the character outside the window, and the window is enlarged and displayed in accordance with the particular magnification rate.

20           Assume, on the other hand, that <sup>the process of</sup> step 8 compares the size of the character acquired in step 3 with the size of the character in the window acquired in step 7, and that <sup>the process of</sup> step 11 judges that the sizes of the two characters are the same. Then, the window is enlarged and displayed according to the designated magnification rate.

35           As described with reference to Figs. 15A, 15B, according to the prior art, the window is enlarged and displayed using the magnification rate as of the time of

character entry. As shown in Fig. 7A (the same as Fig. 15B), therefore, the character in the window is displayed inconveniently smaller. According to the present invention, in contrast, the execution of the enlarged display program 32 permits the character in the window to be enlarged and displayed <sup>at</sup> to the same size as the enlarged character outside the window, as shown in Fig. 7B, thereby obviating the above-mentioned inconvenience.

The processing flow of Fig. 6 presupposes that a mode is selected to enlarge the window in such a manner that the size of the character in the window is the same as that of the character outside the window. Alternatively, a mode can be provided to enlarge the window in such a manner that the character in the window has a specified size, so that the window is enlarged and displayed in accordance with the ratio between the size of the character in the window and the specified character size with an equal effect, as in the processing flow of Fig. 6.

Also, in the case where the enlarged display program 32 executes the processing flow of Fig. 8, first, <sup>the enlarged display program 32 in</sup> step 1, reads the environment-setting mode set by the environment-setting program 31, followed by step 2, where upon receipt of an enlarge instruction by key operation or the like, the process proceeds to step 3, where the character displayed on the display unit 2 is enlarged and displayed at the magnification rate designated by the environment-setting data.

The processing flow of Fig. 8 presupposes that the mode for prohibiting the scrolling out of the enlarged window is selected. This can be recognized by the environment-setting data read in step 1.

Step 4 monitors whether the key operation for completing the enlargement is performed while enlarging the character displayed on the display unit 2. At the same time, <sup>the process of</sup> step 5 judges whether a window has been opened by an application program. If the judgement is that a

16

window has been opened, the process proceeds to step 6 for acquiring the coordinate of a specified position of the window, and the particular window is enlarged and displayed in step 7.

5       <sup>The process of step 8</sup>  
      ~~Step 8~~ judges whether a scroll request is issued to the enlarged window. In the case where the judgement is that no scroll request is issued, the process proceeds to step 12, as described later. In the event that the judgement is that a scroll request is issued, on the  
10   other hand, the process proceeds to step 9, where the enlarged window is scrolled. Then, <sup>in step 10 it is judged</sup> ~~step 10 judges~~ whether the trailing end of the window has reached the state displayable on the display unit by scrolling.

      In the case where the judgement in step 10 is that  
15   the trailing end of the window has not reached a state where it can be displayed on the display unit 2, the process returns to step 8, thereby permitting the scrolling to be continued. If the judgement is that the trailing end has reached such a displayable state, in  
20   contrast, the process proceeds to step 11 and a further scrolling in the scroll direction is prohibited.

<sup>The process of step 12</sup>  
      ~~Step 12~~ judges whether the key operation for selecting an item in the window is performed or not. If the judgement is that no such key operation is performed,  
25   the process returns to step 8. In the case where the judgement is that the key operation is performed, on the other hand, the process proceeds to step 13 for judging whether or not the window has been erased by the key  
30   operation. <sup>If in step 13 it is judged</sup> ~~If step 13 judges~~ that the window is on display, the process returns to step 8, while if the judgement is that the window has been erased, the process returns to step 3.

      As explained with reference to Figs. 16A to 16E, the prior art employs a configuration in which no limitation  
35   is imposed on the scrolling of an enlarged window. As shown in Fig. 16E, this gives a rise to a convenience that the scrolling extends out of the window. According



to this invention, however, the process of the enlarged display program 32 prohibits the scrolling in the scroll direction beyond the point where the trailing end of the window can be displayed on the display unit 2 as shown in Figs. 9A to 9C. The above-mentioned inconvenience, therefore, can be obviated.

According to the enlarged display program 32 based on the processing flow of Fig. 10, <sup>the enlarged display program 32, in step 1</sup> ~~step 1~~ reads the environment-setting mode set by the environment-setting program 31, followed by step 2, which upon receipt of an enlarge instruction by key operation or the like, proceeds to step 3, in which the characters are displayed in an enlarged form on the display unit in accordance with the magnification rate designated by the environment-setting data.

The processing flow of Fig. 10 presupposes that the mode ~~is~~ selected ~~that~~ restores the display state immediately before opening the window when erasing the enlarged window. The fact thus is informed in accordance with the environment-setting data read in step 1

<sup>the process of step 4</sup> ~~Step 4~~ monitors whether the key operation for ending the enlargement is performed, while at the same time the characters displayed on the display unit are enlarged. At the same time, <sup>in step 5, it is judged</sup> ~~step 5 judges~~ whether a window has been opened by an application program. In the case where the judgement is that a window is opened, the process proceeds to step 6 where the coordinate indicated by the cursor immediately before opening the window is acquired and stored in the memory 33 as a restored coordinated.

<sup>the process of step 7</sup> ~~Step 7~~ displays the particular window in an enlarged form.

<sup>In step 8 it is judged</sup> ~~Step 8 judges~~ whether a scroll request is issued for the enlarged window, and when the judgement is that a scroll request is issued, the process proceeds to step 9 where the enlarged window is scrolled. Then, <sup>in step 10</sup> ~~step 10~~ <sup>it is judged</sup> ~~judges~~ whether any key operation is performed for selecting an item in the window. If the judgement is

that the key operation is not performed, the process returns to step 8, whereas if the judgement is that the key operation has been performed, the process proceeds to step 11 for judging whether the window is erased or not by the particular key operation.

In the case where <sup>in Step 11 it is judged</sup> ~~step 11~~ judges that the window is displayed, the process returns to step 8. When the judgement is that the window is erased, the process proceeds to step 12 for calling out the restored coordinate from the memory 8, followed by returning to step 3, thereby returning to the display state at the particular restored coordinate position.

As explained with reference to Figs. 18A, 18B, 18C, the prior art employs a configuration for erasing an enlarged window directly. As shown in Fig. 18C, therefore, the display state immediately before opening the window cannot be restored inconveniently. According to the present invention, on the other hand, the display state (Fig. 11C), immediately before opening the window, is automatically restored when erasing an enlarged window, as shown in Fig. 11B according to the enlarged display program 32, and therefore the above-mentioned inconvenience is obviated.

Also, in the case where the processing flow of Figs. 12A and 12B is used, step 1 of the enlarged display program 32 reads the environment-setting mode set by the environment-setting program 31. Then, upon receipt of an enlarge instruction by key operation or the like in step 2, the process proceeds to step 3, so that the character is enlarged and displayed on the display unit 2 at the magnification rate designated by the environment-setting data.

In the processing flow of Figs. 12A and 12B, it is assumed that the mode is selected, in which the scrolling out of the enlarged window is prohibited, and in which the display state is restored to the state immediately before opening the window when erasing the enlarged window.

This fact can be recognized in accordance with the environment-setting data read in step 1.

<sup>The process of step 4</sup>  
Step 4 enlarges the character displayed on the display unit 2 while monitoring whether the key operation  
5 for ending the enlargement is performed or not. At the same time, <sup>in step 5 it is judged</sup> ~~step 5~~ judges whether a window is opened by an application program. In the case where the judgement is that a window is opened, the process proceeds to step 6 for storing the coordinate indicated by the cursor  
10 immediately before opening the window in the memory 33 as the restored coordinate, followed by step 7 for acquiring the coordinate of the specified window position. The process further proceeds to step 8 for displaying the particular window in an enlarged form.

<sup>in step 9 it is judged</sup>  
15 Then, ~~step 9~~ judges whether or not a scroll request has been issued to the enlarged window. If the judgement is that no scroll request is issued, the process proceeds to the step 13 described later. If the judgement is that a scroll request is issued, on the other hand, the  
20 process proceeds to step 10 for scrolling the enlarged window. Then, <sup>in step 11 it is judged</sup> ~~step 11~~ judges whether or not the trailing end of the window has reached such a state as displayable on the display unit 2 by scrolling.

In the case where the judgement in step 11 is that  
25 the trailing end of the window has not reached such a state as displayable on the display unit 2, the process returns to step 9 for permitting the continued scrolling. In the case where the judgement in step 11 is that the trailing end of the window has reached such a state, on  
30 the other hand, the process proceeds to step 12 for prohibiting the window from being further scrolled in the scrolling direction.

<sup>in step 13 it is judged</sup>  
Then, ~~step 13~~ judges whether the key operation for selecting an item in the window has been performed or  
35 not. In the case where the judgement is that no key operation is performed, the process returns to step 9. In the case where the key operation is performed, on the

other hand, the process proceeds to step 14 for judging whether or not the window is erased by the particular key operation. Upon judgement that the window is still on display in step 14, the process returns to step 9. When  
5 the judgement is that the window is erased, on the other hand, the process returns to ~~step 15~~. <sup>The Process of step 15</sup> Step 15 calls out the restored coordinate from the memory 33 and the process returns to step 3, thereby restoring the display state at the restored coordinate position.

10 As described with reference to Figs. 16A to 16E, the prior art employs a configuration of not adding any limitation to the scrolling of an enlarged window, and therefore, the inconvenience of scrolling out of the window occurs as shown in Fig. 16E. According to this  
15 invention, on the other hand, when the trailing end of the window reaches a state displayable on the display unit 2, the window is prohibited from scrolling further in the scrolling direction as shown in Fig. 9C. The above-mentioned inconvenience, therefore, can be  
20 obviated.

Further, as described with reference to Figs. 18A, 18B, 18C, the prior art employs a configuration of erasing an enlarged window directly. As shown in Fig. 18C, therefore, the display state immediately before  
25 opening the window cannot be restored inconveniently. According to the present invention, in contrast, the display state immediately before opening a window is automatically restored when erasing an enlarged window as shown in Fig. 11B according to the process of the  
30 enlarged display program 32, thereby obviating the above-mentioned inconvenience.

It will thus be understood from the foregoing description that in an information processing apparatus according to this invention having the function of  
35 displaying characters in an enlarged form, the window is enlarged to fill up the screen, the characters in the window are enlarged, the scrolling of the window is

2128

[illegible]